





Mobile Mounts

Specification

***Strong loading up to 100 kgs LCD TV.**



Unit:mm

Function

ITEM	1	2	3	4	5	6	7	8	9	10	11	12	17	28	29
PARTS															
QTY	1	1	4	4	2	2	2	10	2	2	2	8	6	1	4


PARTS FOR TV BRACKETS

PARTS FOR TV BRACKETS						PARTS FOR TV BRACKETS											
ITEM	13	14	15	16	17	ITEM	18	19	20	17	21	22	23	24	25	26	27
PART						PART											
	172X40X33	520X40X34	145X20X2	ø19X745	M6X15		M4X30	M5X15	M5X30	M6X15	M6x30	M8x15	M8X40	ø11Xd4	ø24Xd8		
QTY	2	2	2	2	4	QTY	4	4	4	4	4	4	4	4	4	8	8


Mobile Mounts

Installation

I.




II.




Mobile Mounts

Installation

III.



IV.



SELECT	
18+24+25	M4X30
19+25	M5X15
20+25	M5X30
17	M6X15
21	M6X30
22	M8X15
23	M8X40


Choice one case before installation TV side

How to prohibit sliding

29


Case A.

40~228mm




Case B.

228~260mm




Case C.

348~689mm



Case D.


689~705mm



Mobile Mounts

Installation

V.



X.

